

HIV Infection Cases Reported during 2003  
(from the 01/15/04 HARS data set)

**HSDA = Waco**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	13-19	Count	0	1	1
		% within Sex	.0%	8.3%	2.9%
	20-24	Count	2	3	5
		% within Sex	9.1%	25.0%	14.7%
	25-29	Count	4	3	7
		% within Sex	18.2%	25.0%	20.6%
	30-34	Count	3	0	3
		% within Sex	13.6%	.0%	8.8%
	35-39	Count	3	3	6
		% within Sex	13.6%	25.0%	17.6%
	40-44	Count	2	0	2
		% within Sex	9.1%	.0%	5.9%
	45-49	Count	4	2	6
		% within Sex	18.2%	16.7%	17.6%
	50-54	Count	1	0	1
		% within Sex	4.5%	.0%	2.9%
	55-59	Count	2	0	2
		% within Sex	9.1%	.0%	5.9%
	70+	Count	1	0	1
		% within Sex	4.5%	.0%	2.9%
Total		Count	22	12	34
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Waco

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	6	2	8
		% within Sex	27.3%	16.7%	23.5%
	African American	Count	14	10	24
		% within Sex	63.6%	83.3%	70.6%
	Not Specified	Count	2	0	2
		% within Sex	9.1%	.0%	5.9%
Total	Count	22	12	34	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Waco

HIV Infection Cases Reported during 2003  
(from the 01/15/04 HARS data set)

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	8	0	8
		% within Sex	36.4%	.0%	23.5%
	IDU	Count	5	2	7
		% within Sex	22.7%	16.7%	20.6%
	Heterosexual Contact	Count	1	7	8
		% within Sex	4.5%	58.3%	23.5%
	Not Classified	Count	8	3	11
		% within Sex	36.4%	25.0%	32.4%
Total	Count	22	12	34	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Waco

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped	Total
			Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	8	8
		% within Adult-Ped	23.5%	23.5%
	African American	Count	24	24
		% within Adult-Ped	70.6%	70.6%
	Not Specified	Count	2	2
		% within Adult-Ped	5.9%	5.9%
Total	Count	34	34	
	% within Adult-Ped	100.0%	100.0%	

a. HSDA = Waco

HIV Infection Cases Reported during 2002  
(from the 01/15/04 HARS data set)

**HSDA = Waco**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	20-24	Count	2	2	4
		% within Sex	11.1%	14.3%	12.5%
	25-29	Count	1	3	4
		% within Sex	5.6%	21.4%	12.5%
	30-34	Count	6	0	6
		% within Sex	33.3%	.0%	18.8%
	35-39	Count	3	2	5
		% within Sex	16.7%	14.3%	15.6%
	40-44	Count	1	2	3
		% within Sex	5.6%	14.3%	9.4%
	45-49	Count	4	2	6
		% within Sex	22.2%	14.3%	18.8%
	50-54	Count	0	1	1
		% within Sex	.0%	7.1%	3.1%
	55-59	Count	1	0	1
		% within Sex	5.6%	.0%	3.1%
	60-64	Count	0	1	1
		% within Sex	.0%	7.1%	3.1%
	65-69	Count	0	1	1
		% within Sex	.0%	7.1%	3.1%
Total		Count	18	14	32
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Waco

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	5	0	5
		% within Sex	27.8%	.0%	15.6%
	African American	Count	11	13	24
		% within Sex	61.1%	92.9%	75.0%
	Hispanic	Count	2	1	3
		% within Sex	11.1%	7.1%	9.4%
Total	Count	18	14	32	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Waco

HIV Infection Cases Reported during 2002  
(from the 01/15/04 HARS data set)

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	6	0	6
		% within Sex	33.3%	.0%	18.8%
	IDU	Count	4	2	6
		% within Sex	22.2%	14.3%	18.8%
	M-M & IDU	Count	1	0	1
		% within Sex	5.6%	.0%	3.1%
	Heterosexual Contact	Count	1	7	8
		% within Sex	5.6%	50.0%	25.0%
	Transfusion	Count	0	1	1
		% within Sex	.0%	7.1%	3.1%
	Not Classified	Count	6	4	10
		% within Sex	33.3%	28.6%	31.3%
Total	Count	18	14	32	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Waco

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped	Total
			Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	5	5
		% within Adult-Ped	15.6%	15.6%
	African American	Count	24	24
		% within Adult-Ped	75.0%	75.0%
	Hispanic	Count	3	3
		% within Adult-Ped	9.4%	9.4%
Total	Count	32	32	
	% within Adult-Ped	100.0%	100.0%	

a. HSDA = Waco

Cumulative Reported HIV Infection Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**HSDA = Waco**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	13-19	Count	0	4	4
		% within Sex	.0%	7.8%	2.9%
	20-24	Count	11	9	20
		% within Sex	12.6%	17.6%	14.5%
	25-29	Count	9	10	19
		% within Sex	10.3%	19.6%	13.8%
	30-34	Count	19	3	22
		% within Sex	21.8%	5.9%	15.9%
	35-39	Count	17	7	24
		% within Sex	19.5%	13.7%	17.4%
	40-44	Count	6	3	9
		% within Sex	6.9%	5.9%	6.5%
	45-49	Count	11	9	20
		% within Sex	12.6%	17.6%	14.5%
	50-54	Count	7	3	10
		% within Sex	8.0%	5.9%	7.2%
	55-59	Count	3	1	4
		% within Sex	3.4%	2.0%	2.9%
	60-64	Count	1	1	2
		% within Sex	1.1%	2.0%	1.4%
	65-69	Count	2	1	3
		% within Sex	2.3%	2.0%	2.2%
	70+	Count	1	0	1
		% within Sex	1.1%	.0%	.7%
Total		Count	87	51	138
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Waco

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	23	9	32
		% within Sex	26.4%	17.6%	23.2%
	African American	Count	51	41	92
		% within Sex	58.6%	80.4%	66.7%
	Hispanic	Count	11	1	12
		% within Sex	12.6%	2.0%	8.7%
	Not Specified	Count	2	0	2
		% within Sex	2.3%	.0%	1.4%
	Total		Count	87	51
			% within Sex	100.0%	100.0%

a. HSDA = Waco

Cumulative Reported HIV Infection Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	32	0	32
		% within Sex	36.8%	.0%	23.2%
	IDU	Count	13	9	22
		% within Sex	14.9%	17.6%	15.9%
	M-M & IDU	Count	7	0	7
		% within Sex	8.0%	.0%	5.1%
	Hemophiliac	Count	0	1	1
		% within Sex	.0%	2.0%	.7%
	Heterosexual Contact	Count	6	22	28
		% within Sex	6.9%	43.1%	20.3%
	Transfusion	Count	1	2	3
		% within Sex	1.1%	3.9%	2.2%
	Not Classified	Count	28	17	45
		% within Sex	32.2%	33.3%	32.6%
Total	Count	87	51	138	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Waco

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped	Total
			Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	32	32
		% within Adult-Ped	23.2%	23.2%
	African American	Count	92	92
		% within Adult-Ped	66.7%	66.7%
	Hispanic	Count	12	12
		% within Adult-Ped	8.7%	8.7%
	Not Specified	Count	2	2
		% within Adult-Ped	1.4%	1.4%
Total	Count	138	138	
	% within Adult-Ped	100.0%	100.0%	

a. HSDA = Waco

Living Reported HIV Infection Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**HSDA = Waco**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	13-19	Count	0	4	4
		% within Sex	.0%	8.2%	3.1%
	20-24	Count	10	9	19
		% within Sex	12.3%	18.4%	14.6%
	25-29	Count	9	10	19
		% within Sex	11.1%	20.4%	14.6%
	30-34	Count	18	3	21
		% within Sex	22.2%	6.1%	16.2%
	35-39	Count	17	6	23
		% within Sex	21.0%	12.2%	17.7%
	40-44	Count	6	3	9
		% within Sex	7.4%	6.1%	6.9%
	45-49	Count	10	8	18
		% within Sex	12.3%	16.3%	13.8%
	50-54	Count	6	3	9
		% within Sex	7.4%	6.1%	6.9%
	55-59	Count	2	1	3
		% within Sex	2.5%	2.0%	2.3%
	60-64	Count	1	1	2
		% within Sex	1.2%	2.0%	1.5%
	65-69	Count	1	1	2
		% within Sex	1.2%	2.0%	1.5%
	70+	Count	1	0	1
		% within Sex	1.2%	.0%	.8%
Total		Count	81	49	130
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Waco

Living Reported HIV Infection Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**Current Age \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Current Age	20-24	Count	4	4	8
		% within Sex	4.9%	8.2%	6.2%
	25-29	Count	11	10	21
		% within Sex	13.6%	20.4%	16.2%
	30-34	Count	11	9	20
		% within Sex	13.6%	18.4%	15.4%
	35-39	Count	18	6	24
		% within Sex	22.2%	12.2%	18.5%
	40-44	Count	13	3	16
		% within Sex	16.0%	6.1%	12.3%
	45-49	Count	10	4	14
		% within Sex	12.3%	8.2%	10.8%
	50-54	Count	5	7	12
		% within Sex	6.2%	14.3%	9.2%
	55-59	Count	6	3	9
		% within Sex	7.4%	6.1%	6.9%
	60-64	Count	0	2	2
		% within Sex	.0%	4.1%	1.5%
	65-69	Count	2	1	3
		% within Sex	2.5%	2.0%	2.3%
	Unknown	Count	1	0	1
		% within Sex	1.2%	.0%	.8%
Total	Count	81	49	130	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Waco

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	23	9	32
		% within Sex	28.4%	18.4%	24.6%
	African American	Count	45	39	84
		% within Sex	55.6%	79.6%	64.6%
	Hispanic	Count	11	1	12
		% within Sex	13.6%	2.0%	9.2%
	Not Specified	Count	2	0	2
		% within Sex	2.5%	.0%	1.5%
Total	Count	81	49	130	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Waco



Living Reported HIV Infection Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	32	0	32
		% within Sex	39.5%	.0%	24.6%
	IDU	Count	10	8	18
		% within Sex	12.3%	16.3%	13.8%
	M-M & IDU	Count	7	0	7
		% within Sex	8.6%	.0%	5.4%
	Hemophiliac	Count	0	1	1
		% within Sex	.0%	2.0%	.8%
	Heterosexual Contact	Count	6	21	27
		% within Sex	7.4%	42.9%	20.8%
	Transfusion	Count	1	2	3
		% within Sex	1.2%	4.1%	2.3%
	Not Classified	Count	25	17	42
		% within Sex	30.9%	34.7%	32.3%
Total	Count	81	49	130	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Waco

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped	Total
			Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	32	32
		% within Adult-Ped	24.6%	24.6%
	African American	Count	84	84
		% within Adult-Ped	64.6%	64.6%
	Hispanic	Count	12	12
		% within Adult-Ped	9.2%	9.2%
	Not Specified	Count	2	2
		% within Adult-Ped	1.5%	1.5%
Total	Count	130	130	
	% within Adult-Ped	100.0%	100.0%	

a. HSDA = Waco

AIDS Cases Reported during 2003  
(from the 01/15/04 HARS data set)

**HSDA = Waco**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	20-24	Count	0	1	1
		% within Sex	.0%	10.0%	5.0%
	25-29	Count	1	1	2
		% within Sex	10.0%	10.0%	10.0%
	30-34	Count	1	2	3
		% within Sex	10.0%	20.0%	15.0%
	35-39	Count	2	3	5
		% within Sex	20.0%	30.0%	25.0%
	40-44	Count	3	1	4
		% within Sex	30.0%	10.0%	20.0%
	45-49	Count	2	1	3
		% within Sex	20.0%	10.0%	15.0%
	50-54	Count	1	0	1
		% within Sex	10.0%	.0%	5.0%
	55-59	Count	0	1	1
		% within Sex	.0%	10.0%	5.0%
Total	Count	10	10	20	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Waco

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	2	1	3
		% within Sex	20.0%	10.0%	15.0%
	African American	Count	7	6	13
		% within Sex	70.0%	60.0%	65.0%
	Hispanic	Count	1	3	4
		% within Sex	10.0%	30.0%	20.0%
Total	Count	10	10	20	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Waco

AIDS Cases Reported during 2003  
(from the 01/15/04 HARS data set)

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	4	0	4
		% within Sex	40.0%	.0%	20.0%
	IDU	Count	1	1	2
		% within Sex	10.0%	10.0%	10.0%
	M-M & IDU	Count	2	0	2
		% within Sex	20.0%	.0%	10.0%
	Heterosexual Contact	Count	0	3	3
		% within Sex	.0%	30.0%	15.0%
	Not Classified	Count	3	6	9
		% within Sex	30.0%	60.0%	45.0%
Total	Count	10	10	20	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Waco

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped	Total
			Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	3	3
		% within Adult-Ped	15.0%	15.0%
	African American	Count	13	13
		% within Adult-Ped	65.0%	65.0%
	Hispanic	Count	4	4
		% within Adult-Ped	20.0%	20.0%
Total	Count	20	20	
	% within Adult-Ped	100.0%	100.0%	

a. HSDA = Waco

AIDS Cases Reported during 2002  
(from the 01/15/04 HARS data set)

**HSDA = Waco**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	20-24	Count	0	1	1
		% within Sex	.0%	10.0%	4.0%
	25-29	Count	1	0	1
		% within Sex	6.7%	.0%	4.0%
	30-34	Count	4	1	5
		% within Sex	26.7%	10.0%	20.0%
	35-39	Count	3	4	7
		% within Sex	20.0%	40.0%	28.0%
	40-44	Count	3	2	5
		% within Sex	20.0%	20.0%	20.0%
	45-49	Count	2	1	3
		% within Sex	13.3%	10.0%	12.0%
	50-54	Count	1	1	2
		% within Sex	6.7%	10.0%	8.0%
	55-59	Count	1	0	1
		% within Sex	6.7%	.0%	4.0%
Total	Count	15	10	25	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Waco

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	5	2	7
		% within Sex	33.3%	20.0%	28.0%
	African American	Count	10	7	17
		% within Sex	66.7%	70.0%	68.0%
	Hispanic	Count	0	1	1
		% within Sex	.0%	10.0%	4.0%
	Total		Count	15	10
			% within Sex	100.0%	100.0%

a. HSDA = Waco

AIDS Cases Reported during 2002  
(from the 01/15/04 HARS data set)

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	7	0	7
		% within Sex	46.7%	.0%	28.0%
	IDU	Count	3	2	5
		% within Sex	20.0%	20.0%	20.0%
	M-M & IDU	Count	1	0	1
		% within Sex	6.7%	.0%	4.0%
	Heterosexual Contact	Count	1	6	7
		% within Sex	6.7%	60.0%	28.0%
	Not Classified	Count	3	2	5
		% within Sex	20.0%	20.0%	20.0%
Total	Count	15	10	25	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Waco

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped	Total
			Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	7	7
		% within Adult-Ped	28.0%	28.0%
	African American	Count	17	17
		% within Adult-Ped	68.0%	68.0%
	Hispanic	Count	1	1
		% within Adult-Ped	4.0%	4.0%
Total	Count	25	25	
	% within Adult-Ped	100.0%	100.0%	

a. HSDA = Waco

Cumulative Reported AIDS Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**HSDA = Waco**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	1	1	2
		% within Sex	.3%	1.0%	.5%
	2-4	Count	0	2	2
		% within Sex	.0%	1.9%	.5%
	13-19	Count	3	6	9
		% within Sex	.9%	5.8%	2.1%
	20-24	Count	12	8	20
		% within Sex	3.8%	7.8%	4.8%
	25-29	Count	29	10	39
		% within Sex	9.1%	9.7%	9.3%
	30-34	Count	63	25	88
		% within Sex	19.9%	24.3%	21.0%
	35-39	Count	65	20	85
		% within Sex	20.5%	19.4%	20.2%
	40-44	Count	62	13	75
		% within Sex	19.6%	12.6%	17.9%
	45-49	Count	37	6	43
		% within Sex	11.7%	5.8%	10.2%
	50-54	Count	16	6	22
		% within Sex	5.0%	5.8%	5.2%
	55-59	Count	10	4	14
		% within Sex	3.2%	3.9%	3.3%
	60-64	Count	11	1	12
		% within Sex	3.5%	1.0%	2.9%
	65-69	Count	6	0	6
		% within Sex	1.9%	.0%	1.4%
	70+	Count	2	1	3
		% within Sex	.6%	1.0%	.7%
Total	Count	317	103	420	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Waco

Cumulative Reported AIDS Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	161	27	188
		% within Sex	50.8%	26.2%	44.8%
	African American	Count	126	62	188
		% within Sex	39.7%	60.2%	44.8%
	Hispanic	Count	29	14	43
		% within Sex	9.1%	13.6%	10.2%
	Asian-Pacific Islander	Count	1	0	1
		% within Sex	.3%	.0%	.2%
Total	Count	317	103	420	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Waco

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	124	0	124
		% within Sex	39.1%	.0%	29.5%
	IDU	Count	65	25	90
		% within Sex	20.5%	24.3%	21.4%
	M-M & IDU	Count	43	0	43
		% within Sex	13.6%	.0%	10.2%
	Hemophiliac	Count	2	0	2
		% within Sex	.6%	.0%	.5%
	Heterosexual Contact	Count	17	36	53
		% within Sex	5.4%	35.0%	12.6%
	Transfusion	Count	4	6	10
		% within Sex	1.3%	5.8%	2.4%
	Not Classified	Count	60	33	93
		% within Sex	18.9%	32.0%	22.1%
	Ped Parent at Risk	Count	1	3	4
		% within Sex	.3%	2.9%	1.0%
	Ped Other-Undet	Count	1	0	1
		% within Sex	.3%	.0%	.2%
Total	Count	317	103	420	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Waco

Cumulative Reported AIDS Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	1	187	188
		% within Adult-Ped	25.0%	45.0%	44.8%
	African American	Count	3	185	188
		% within Adult-Ped	75.0%	44.5%	44.8%
	Hispanic	Count	0	43	43
		% within Adult-Ped	.0%	10.3%	10.2%
	Asian-Pacific Islander	Count	0	1	1
		% within Adult-Ped	.0%	.2%	.2%
Total	Count	4	416	420	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. HSDA = Waco



Living Reported AIDS Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**HSDA = Waco**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	2-4	Count	0	2	2
		% within Sex	.0%	3.3%	1.0%
	13-19	Count	3	3	6
		% within Sex	2.3%	4.9%	3.1%
	20-24	Count	3	7	10
		% within Sex	2.3%	11.5%	5.2%
	25-29	Count	13	4	17
		% within Sex	9.8%	6.6%	8.8%
	30-34	Count	21	18	39
		% within Sex	15.8%	29.5%	20.1%
	35-39	Count	31	13	44
		% within Sex	23.3%	21.3%	22.7%
	40-44	Count	32	6	38
		% within Sex	24.1%	9.8%	19.6%
	45-49	Count	19	2	21
		% within Sex	14.3%	3.3%	10.8%
	50-54	Count	4	4	8
		% within Sex	3.0%	6.6%	4.1%
	55-59	Count	3	2	5
		% within Sex	2.3%	3.3%	2.6%
	60-64	Count	2	0	2
		% within Sex	1.5%	.0%	1.0%
	65-69	Count	2	0	2
		% within Sex	1.5%	.0%	1.0%
Total	Count	133	61	194	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Waco

Living Reported AIDS Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**Current Age \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Current Age	5-12	Count	0	2	2
		% within Sex	.0%	3.3%	1.0%
	13-19	Count	1	0	1
		% within Sex	.8%	.0%	.5%
	20-24	Count	2	3	5
		% within Sex	1.5%	4.9%	2.6%
	25-29	Count	2	6	8
		% within Sex	1.5%	9.8%	4.1%
	30-34	Count	10	6	16
		% within Sex	7.5%	9.8%	8.2%
	35-39	Count	21	13	34
		% within Sex	15.8%	21.3%	17.5%
	40-44	Count	34	16	50
		% within Sex	25.6%	26.2%	25.8%
	45-49	Count	25	7	32
		% within Sex	18.8%	11.5%	16.5%
	50-54	Count	23	3	26
		% within Sex	17.3%	4.9%	13.4%
	55-59	Count	8	3	11
		% within Sex	6.0%	4.9%	5.7%
	60-64	Count	3	2	5
		% within Sex	2.3%	3.3%	2.6%
	65-69	Count	1	0	1
		% within Sex	.8%	.0%	.5%
	70+	Count	3	0	3
		% within Sex	2.3%	.0%	1.5%
Total		Count	133	61	194
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Waco

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	60	15	75
		% within Sex	45.1%	24.6%	38.7%
	African American	Count	61	36	97
		% within Sex	45.9%	59.0%	50.0%
	Hispanic	Count	11	10	21
		% within Sex	8.3%	16.4%	10.8%
	Asian-Pacific Islander	Count	1	0	1
		% within Sex	.8%	.0%	.5%
	Total		Count	133	61
			% within Sex	100.0%	100.0%

a. HSDA = Waco

Living Reported AIDS Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	49	0	49
		% within Sex	36.8%	.0%	25.3%
	IDU	Count	24	12	36
		% within Sex	18.0%	19.7%	18.6%
	M-M & IDU	Count	16	0	16
		% within Sex	12.0%	.0%	8.2%
	Hemophiliac	Count	1	0	1
		% within Sex	.8%	.0%	.5%
	Heterosexual Contact	Count	11	21	32
		% within Sex	8.3%	34.4%	16.5%
	Transfusion	Count	1	3	4
		% within Sex	.8%	4.9%	2.1%
	Not Classified	Count	30	23	53
		% within Sex	22.6%	37.7%	27.3%
	Ped Parent at Risk	Count	0	2	2
		% within Sex	.0%	3.3%	1.0%
	Ped Other-Undet	Count	1	0	1
		% within Sex	.8%	.0%	.5%
Total	Count	133	61	194	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Waco

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	0	75	75
		% within Adult-Ped	.0%	39.1%	38.7%
	African American	Count	2	95	97
		% within Adult-Ped	100.0%	49.5%	50.0%
	Hispanic	Count	0	21	21
		% within Adult-Ped	.0%	10.9%	10.8%
	Asian-Pacific Islander	Count	0	1	1
		% within Adult-Ped	.0%	.5%	.5%
Total	Count	2	192	194	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. HSDA = Waco

Prevalent Reported Cases of HIV/AIDS through 12/31/03  
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

**HSDA = Waco**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	2-4	Count	0	2	2
		% within Sex	.0%	1.8%	.6%
	13-19	Count	3	7	10
		% within Sex	1.4%	6.4%	3.1%
	20-24	Count	13	16	29
		% within Sex	6.1%	14.5%	9.0%
	25-29	Count	22	14	36
		% within Sex	10.3%	12.7%	11.1%
	30-34	Count	39	21	60
		% within Sex	18.2%	19.1%	18.5%
	35-39	Count	48	19	67
		% within Sex	22.4%	17.3%	20.7%
	40-44	Count	38	9	47
		% within Sex	17.8%	8.2%	14.5%
	45-49	Count	29	10	39
		% within Sex	13.6%	9.1%	12.0%
	50-54	Count	10	7	17
		% within Sex	4.7%	6.4%	5.2%
	55-59	Count	5	3	8
		% within Sex	2.3%	2.7%	2.5%
	60-64	Count	3	1	4
		% within Sex	1.4%	.9%	1.2%
	65-69	Count	3	1	4
		% within Sex	1.4%	.9%	1.2%
	70+	Count	1	0	1
		% within Sex	.5%	.0%	.3%
Total	Count	214	110	324	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Waco

Prevalent Reported Cases of HIV/AIDS through 12/31/03  
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

**Current Age \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Current Age	5-12	Count	0	2	2
		% within Sex	.0%	1.8%	.6%
	13-19	Count	1	0	1
		% within Sex	.5%	.0%	.3%
	20-24	Count	6	7	13
		% within Sex	2.8%	6.4%	4.0%
	25-29	Count	13	16	29
		% within Sex	6.1%	14.5%	9.0%
	30-34	Count	21	15	36
		% within Sex	9.8%	13.6%	11.1%
	35-39	Count	39	19	58
		% within Sex	18.2%	17.3%	17.9%
	40-44	Count	47	19	66
		% within Sex	22.0%	17.3%	20.4%
	45-49	Count	35	11	46
		% within Sex	16.4%	10.0%	14.2%
	50-54	Count	28	10	38
		% within Sex	13.1%	9.1%	11.7%
	55-59	Count	14	6	20
		% within Sex	6.5%	5.5%	6.2%
60-64	Count	3	4	7	
	% within Sex	1.4%	3.6%	2.2%	
65-69	Count	3	1	4	
	% within Sex	1.4%	.9%	1.2%	
70+	Count	3	0	3	
	% within Sex	1.4%	.0%	.9%	
Unknown	Count	1	0	1	
	% within Sex	.5%	.0%	.3%	
Total		Count	214	110	324
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Waco

Prevalent Reported Cases of HIV/AIDS through 12/31/03  
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	83	24	107
		% within Sex	38.8%	21.8%	33.0%
	African American	Count	106	75	181
		% within Sex	49.5%	68.2%	55.9%
	Hispanic	Count	22	11	33
		% within Sex	10.3%	10.0%	10.2%
	Asian-Pacific Islander	Count	1	0	1
		% within Sex	.5%	.0%	.3%
	Not Specified	Count	2	0	2
		% within Sex	.9%	.0%	.6%
Total	Count	214	110	324	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Waco

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	81	0	81
		% within Sex	37.9%	.0%	25.0%
	IDU	Count	34	20	54
		% within Sex	15.9%	18.2%	16.7%
	M-M & IDU	Count	23	0	23
		% within Sex	10.7%	.0%	7.1%
	Hemophiliac	Count	1	1	2
		% within Sex	.5%	.9%	.6%
	Heterosexual Contact	Count	17	42	59
		% within Sex	7.9%	38.2%	18.2%
	Transfusion	Count	2	5	7
		% within Sex	.9%	4.5%	2.2%
	Not Classified	Count	55	40	95
		% within Sex	25.7%	36.4%	29.3%
	Ped Parent at Risk	Count	0	2	2
		% within Sex	.0%	1.8%	.6%
	Ped Other-Undet	Count	1	0	1
		% within Sex	.5%	.0%	.3%
Total	Count	214	110	324	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Waco

Prevalent Reported Cases of HIV/AIDS through 12/31/03  
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	0	107	107
		% within Adult-Ped	.0%	33.2%	33.0%
	African American	Count	2	179	181
		% within Adult-Ped	100.0%	55.6%	55.9%
	Hispanic	Count	0	33	33
		% within Adult-Ped	.0%	10.2%	10.2%
	Asian-Pacific Islander	Count	0	1	1
		% within Adult-Ped	.0%	.3%	.3%
	Not Specified	Count	0	2	2
		% within Adult-Ped	.0%	.6%	.6%
Total	Count	2	322	324	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. HSDA = Waco